

Annona senegalensis Pers (Annonaceae): exploring the underutilized potentials of an African medicinal plant

Peter Achunike Akah

Natural Products Research Unit, Department of Pharmacology and Toxicology, University of Nigeria, Nsukka, Nigeria, 410001.

*Correspondence

Peter Achunike Akah
peter.akah@unn.edu.ng

Volume: 1, Issue: 1, Pages: 16-26

DOI: <https://doi.org/10.37446/jet/ra/1.1.2023.16-26>

Received: 10 July 2023 / Accepted: 28 November 2023 / Published: 31 December 2023

This extensive study delves into the many facets of *Annona senegalensis*, a plant species that has been well-respected in traditional African medicine and is now gaining attention in modern pharmacology. The review takes a methodical look at four main areas: pharmacological characteristics, phytochemical profile, geographical distribution and ecological environment, and ethnomedical uses. The medicinal properties of *Annona senegalensis* have earned it a place of adoration in many African traditions. According to historical records, it was used to cure a wide variety of illnesses, including fevers, skin problems, gastrointestinal problems, and malaria. The tapestry of indigenous medicine and culture highlights the plant's centrality to traditional healing practices. The assessment emphasises the plant's widespread presence throughout many African biomes, demonstrating its capacity to adapt to different ecological circumstances, in terms of dispersion. This review also examines the environmental conditions important for its growth, providing a better knowledge of its ecological niche and possible vulnerabilities in the face of environmental changes. The phytochemical examination of *A. senegalensis* reveals a broad array of bioactive chemicals, including but not limited to alkaloids, flavonoids, saponins, and terpenes. These elements are painstakingly connected with their unique therapeutic potentials, revealing insights into the metabolic underpinnings of the plant's medicinal characteristics. Finally, the review synthesizes a range of pharmacological research that evaluate the effectiveness of *A. senegalensis* in diverse medicinal applications. Notable results include its antibacterial, anti-inflammatory, antiparasitic, and anticancer effects, which are critically studied in light of modern scientific methodology and therapeutic significance. This review not only articulates the historic and contemporary relevance of the plant but also acts as a springboard for future research initiatives. It underlines the need for greater study into its latent potential, notably in drug discovery and development, while also increasing awareness about the protection of this unique species in its native environment.

Keywords: *Annona senegalensis*, ethnomedicine, phytochemistry, pharmacological activities, toxicity

Introduction

Annona senegalensis, also known as African custard apple, has gained substantial attention in the domains of ethnobotany and pharmacology due to its broad traditional uses and possible medicinal implications. Indigenous to several African countries, this species has been crucial to traditional medicine systems, addressing a range of health conditions from malaria to gastrointestinal illnesses (Mustapha, 2013; Moghadamtousi, et al., 2015; Adjakpa, et al., 2016; Okhale, et al., 2016; Lawal, et al., 2021). Despite its ubiquitous usage in traditional contexts, the scientific world has only lately begun to untangle the complex phytochemical profile and pharmacological potentials of *A. senegalensis* (Philipov, et al., 1995; Khallouki, et al., 2002; Ijaiya, et al., 2014). The plant displays a rich array of bioactive chemicals, including alkaloids, flavonoids, saponins, and terpenes, which contribute to its therapeutic benefits (Mackie & Misra, 1956; Mackie & Ghatee, 1958; Bamba et al., 1984; You, et al., 1995; Yisa et al., 2010; Djoza et al., 2017). This rich phytochemical makeup has prompted interest in its potential for drug development, particularly in areas where traditional medicine is seeking innovative therapeutic agents.

However, the increased attention and exploitation of *A. senegalensis* have also highlighted concerns over its conservation and sustainable use. The rising demand, coupled with habitat loss and environmental changes, poses a danger to its availability and ecological stability (Orwa et al., 2009;). Furthermore, the absence of extensive scientific investigations on its pharmacological actions and safety profile creates a substantial vacuum in the literature, preventing its incorporation into current medical procedures. Given this backdrop, the present review seeks to give a complete evaluation of the ethnomedical usage, geographical distribution, phytochemical composition, and pharmacological properties of *A. senegalensis*. By synthesizing existing knowledge and identifying areas for future research, this paper seeks to contribute to the understanding of this species' potential in both traditional and modern medical contexts, while also emphasizing the need for its conservation and sustainable use.

Distribution and habitat of *Annona senegalensis*

Annona senegalensis, is a botanical gem tucked amid the various landscapes of Africa. This plant, belonging to the Annonaceae family, has acquired importance in ethnobotanical and ecological research owing to its rich ethnomedicinal history and ecological value. Understanding its range and habitat is crucial not just for conserving its cultural relevance but also for establishing sustainable conservation methods and investigating its latent potential in contemporary medicines. The geographical distribution of *A. senegalensis* spreads across a vast length of Africa, comprising a patchwork of nations and biological zones (Orwa et al., 2009). It finds its home in the tropical and subtropical zones of the continent, occupying territories from West Africa, including nations like Nigeria and Senegal, to the East African highlands and as far south as South Africa (Dalziel, 1937; Arnold & Gulumia, 1984; Chhabra, et al., 1987; Klaus & Adala, 1994). This broad spread highlights its resilience to a multitude of environmental circumstances. The plant demonstrates a significant versatility in its ecological requirements, typically surviving in various settings. It is typically found in savannas, woods, and gallery forests (Dalziel, 1937). These ecological niches give essential insights about its optimal habitat characteristics, such as well-drained soils and moderate rainfall patterns. The species is also known to flourish in disturbed habitats, especially regions damaged by human activity (Orwa et al., 2009). Such tolerance to human alterations underlines its resilience and raises issues about its function in ecosystem dynamics. In addition to ecological resilience, *A. senegalensi* exhibits a significant affinity for elevations ranging from sea level to higher altitudes, further contributing to its extensive distribution (Klaus & Adala,1994). Understanding the range and habitat preferences of *A. senegalensis* is crucial for conservation efforts. As human activities continue to encroach onto its natural habitats, conservation plans must be informed by an accurate knowledge of its biological requirements. Additionally, the cultivation potential of this species in agroforestry systems might provide a sustainable way of satisfying both conservation and commercial objectives (Orwa, 2009). *Annona senegalensis*, with its broad range and ecological flexibility, stands as a rich botanical resource with various ecological consequences. The delicate interaction between its distribution, habitat, and human activities highlights the necessity for a holistic approach to its protection and sustainable exploitation.



Figure 1. *Annona senegalensis* Pers.; (A) leaves (B) flower (C) fruits and (D) stem (Orwa et al., 2009)

Ethnomedical uses of *Annona senegalensis*

Annona senegalensis maintains a venerable position within the tapestry of traditional African medicine (Aiyelaja & Bello, 2006; Konate et al., 2012; Mustapha et al., 2013)). For millennia, this plant gem has been valued for its broad and strong ethnomedical uses. The empirical information passed down via communities and healers offers a vast pool of wisdom, sometimes functioning as a key healthcare resource for numerous conditions. A full study of the ethnomedical

applications of *A. senegalensis* not only elucidates its cultural relevance but also begs investigation into its therapeutic possibilities within modern medicine (Ofukwu et al., 2008; Mustapha, 2013) .

Traditional uses across cultures

Across the African continent, the plant has been utilised for its extraordinary medicinal powers. Its fruits, leaves, and roots find application in a plethora of medical applications, illustrating the varied character of this botanical marvel (Bassam et al., 2022). Perhaps one of its most recognised applications, *Annona senegalensis* has been applied in the treatment of malaria. Preparations produced from the plant's leaves and bark are commonly used to treat the symptoms of this prevalent and severe disease (Traore et al., 2013; Ngbolua et al., 2014). The custard apple's roots have long been recognized for their usefulness in addressing many gastrointestinal problems (Attig et al., 2017), delivering relief from ailments like dysentery and diarrhoea (Igoli et al., 2005; Suleiman et al., 2008). *A. senegalensis* also finds its place in the treatment of skin disorders. Pastes and ointments made from its fruits and leaves are administered topically to treat skin ailments, suggesting its dermatological potential (Mustapha et al., 2013). The plant is also mentioned to be used in tuberculosis (Ofukwu et al., 2008), diabetes (Ahombo et al., 2012), erectile dysfunction (Faleyimu & Akinyemi, 2010), snake bites (Ogoli et al., 2011) and infections (Magassouba et al., 2007; Mustapha et al., 2013). Beyond its specialised usage, the plant has been exploited to reduce general malaise and fever, highlighting its position as a panacea in several traditional medicinal systems. The multiplicity of ethnomedical usage of *A. senegalensis* emphasises its cultural value and therapeutic adaptability. These applications are grounded by a rich oral tradition that has maintained communities for generations, underscoring the need for scientific confirmation and investigation of its possibilities within contemporary medicine. In summary, the ethnomedical applications of *A. senegalensis* are a witness to the deep-rooted relationship between indigenous cultures and the botanical riches of Africa. The merging of traditional wisdom with current science offers the potential to reveal the medicinal secrets of this plant, benefitting both cultural heritage and global healthcare. While the traditional usage has been lauded for its efficacy, the integration of this plant into current pharmacological and medical procedures remains an expanding area. The identification of its chemical composition and pharmacological actions provides promising opportunities for medication discovery and healthcare innovation. Scientific investigations proving its traditional usage and investigating innovative applications have the prospect of not just maintaining cultural heritage but also contributing to global health efforts.

Phytochemistry of *Annona senegalensis*

Annona senegalensis, stands as a botanical treasure trove of phytochemical variety. This plant, endemic to many parts of Africa, has caught the attention of researchers and phytochemists for its complicated phytochemical makeup (Khallouki et al., 2002; Yisa et al., 2010; Okhale et al., 2016; Djoza et al., 2017). A detailed investigation of the phytochemistry of *A. senegalensis* exposes a tapestry of bioactive chemicals, each with its distinct features and medicinal potential (Mustapha, 2013; Adayat et al., 2014). This review not only enriches our comprehension of the plant's therapeutic potential but also begs the discovery of novel bioactive compounds for numerous uses. *A. senegalensis* is rich in alkaloids, including anonaine (Li et al., 2013), reticuline (Dholvitayakhun et al., 2013) romerine (You et al., 1995; Magadula et al., 2014), liriodenine and noroliveroline (Fall et al., 2008). These alkaloids have been the topic of pharmacological research, typically showing numerous biological functions, including antibacterial (Lall, et al., 2017), and anti-inflammatory and analgesic characteristics. (Adzu et al., 2003; Yeo et al., 2011; Suleiman et al., 2014). The plant's leaves and fruits are rich sources of flavonoids, including quercetin, kaempferol, and catechin (Ameen et al., 2011; Jada et al., 2015). Flavonoids are recognised for their antioxidant qualities and their function in combating oxidative stress and inflammation (Ajiboye et al., 2010). The plant boasts a considerable saponin content (Afolabi & Afolabi, 2013; Yisa et al., 2010). Saponins have been reported to possess hypocholesterolaemia effect (Price et al., 1987). Tannins, represented by substances like ellagic acid and tannic acid, add to the phytochemical richness of *A. senegalensis* (Jada et al., 2014). Tannins have been connected with antimicrobial, antioxidant and anti-inflammatory actions. Other compounds such as glycosides and steroids (Afolabi & Afolabi, 2013), volatile oils (Khallouki, et al., 2002), anthrocyanins (Mpiana, 2012) and kauronic acid (Okoye et al., 2012, 2013) have been reported in *A. senegalensis*. This extensive phytochemical profile, characterized by a symphony of alkaloids, flavonoids, saponins, terpenoids, polyphenols, coumarins, and tannins, emphasises the multi-dimensional therapeutic potential of the plant. The bioactive elements within this botanical resource not only constitute the core of its traditional therapeutic usage but also urge systematic scientific research, giving exciting opportunities for drug discovery and healthcare innovation

Pharmacological activities of *Annona senegalensis*

Annona senegalensis is not just a botanical gem of ethnobotanical value; it also appears as a rich source of medicinal potential. The scientific world has increasingly focused its attention to this species to discover its different medicinal properties. An in-depth analysis of the pharmacological characteristics of *A. senegalensis* reveals a range of

bioactivities, each with its particular therapeutic promise. This exploration not only substantiates its traditional therapeutic benefits but also maps a road for further scientific study, medication discovery, and healthcare innovation.

A. senegalensis has received attention for its considerable antibacterial potential. Extracts from various portions of the plant demonstrate inhibitory actions against a range of diseases, including bacteria and fungus (More et al., 2008; Mann et al., 2009; Awa et al., 2012; Okoye et al., 2013; Koggie et al., 2022). Such activities show promise for the discovery of new antibacterial drugs. Pharmacological investigations have uncovered the plant's analgesic and anti-inflammatory potentials (Adzu et al., 2003; Odoh et al., 2004; Konate et al., 2021). The plant's extracts have proven the potential to modulate inflammatory responses, indicating applications in diseases defined by chronic inflammation (Yeo et al., 2011; Sulieman et al., 2014). Studies have suggested the existence of bioactive chemicals in *A. senegalensis* with potential anticancer activity (Adesogan & Durodold, 1976; Sahpaz et al., 1996, Ajaiyeoba et al., 2006a). These chemicals have exhibited inhibitory effects on cancer cell development, suggesting prospects for further exploration in cancer treatments (Ajaiyeoba et al., 2006a; Magadula et al., 2009; Ahmed et al., 2010). Antioxidant properties have been identified in *A. senegalensis* extracts, suggesting potential advantages in fighting oxidative stress-related disorders (Potchoo et al., 2008; Ajiboye et al., 2010; Tamfu et al., 2021). The plant's phytochemical ingredients contribute to its antioxidant capacities (Adisa et al., 2019; Omeke et al., 2019; Tamfu et al., 2021). The bioactive components from the plant displayed antiparasitic capabilities, notably against protozoan parasites (Sahpaz et al., 1994; Ajaiyeoba et al., 2006b). These actions have significance for managing parasite diseases in tropical locations (Sahpaz et al., 1994). Several investigations have documented the insecticidal capabilities of *A. senegalensis* (Ngamo et al., 2007; Gueye et al., 2011; Lame et al., 2014; Mukungulu et al., 2015). An aporphine alkaloid, (-)-roemerine was identified as the active principle responsible for the insecticidal action (Magadula et al., 2009).

The extracts of *A. senegalensis* have been examined for egg inhibition efficacy as well as toxicity against the infective larval stage of *Haemonchus contortus* and the results were encouraging (Monglo et al., 2006; Nukene et al., 2006). A substantial decrease in egg hatch has also been reported (Alawo et al., 2003). The five acetogenins namely gigantetronenine, squamocine, glaucanisine, glaucanetine, goniothalamicine and two alkaloids liriodenine and norolivérine from the root of *A. senegalensis* have been reported to display anthelmintic activity (Fall, et al., 2008). Multiple reports have established that *A. senegalensis* possesses powerful in vivo trypanocidal activities, with little or no in vitro effects (Youan et al., 1997; Atawodi et al., 2005; Ogbadoyi et al., 2007; Kabiru et al., 2010). These actions were attributable to the isolated acetogenins from the extracts of the seeds (Sahpaz et al., 1994). Acetogenins potentially responsible for this action include annogalene, annonacin, annonacin A, annosenegalin and senegalene (Setzer & Ogungbe, 2012). The effectiveness of the *A. senegalensis* root bark methanol extract against *Naja nigricollis nigricollis* (Wetch) venom, was investigated in rats (Adzu et al., 2005; Musa et al., 2017). The extract detoxified the utilised snake venom and reduced the resulting hyperthermia. Another study reported that the methanol extract from the leaves of *A. senegalensis* prevented the death-inducing effects of the venom from *Echis ocellatus*. The major phytochemicals controlling the activity of this fraction were flavonoids and tannins (Amlabu et al., 2014). Several investigations have reported the effects of *A. senegalensis* extracts on fertility (Nwanuma et al., 2015; Folawiyó et al., 2023; Mbayo et al., 2023). The weight of the testes and epididymis, and sperm concentration and motility were increase by the extract of *A. senegalensis* (Oladele et al., 2014). Studies have also hinted to the neuroprotective potential, and some central nervous system beneficial effects of *A. senegalensis* (Okoli et al., 2010; Otimenyin & Omeri, 2014). Compounds within the plant have showed to exhibit anticonvulsant (Konate et al., 2012; Dongmo et al., 2014; Okoye et al., 2012), muscle relaxant (Okoye et al., 2012) and hypnotic (Otimenyin & Omeri, 2014) effects which may be significant in neurological illnesses. Other pharmacological activities that have been ascribed to *A. senegalensis* are haemostatic (Dandjesso et al., 2012) and anti-sickling (Mpiana 2012; Kitadi et al., 2020). The varied pharmacological effects of *A. senegalensis* underline its therapeutic adaptability and underscore the necessity for thorough scientific confirmation. Beyond validating its conventional usage, scientific study provides vistas for the creation of new pharmacological drugs. These bioactivities serve as testaments to the plant's extensive phytochemical composition and its ability to contribute to modern healthcare endeavours.

Adverse effects and toxicity of *Annona senegalensis*

Although *Annona senegalensis* is acclaimed for its traditional medical usage and possible therapeutic capabilities, few studies have investigated its adverse effects and toxicity (Okoye et al., 2012; Ilboudo et al., 2019). It has been reported that *A. senegalensis* is relatively safe (Adisa et al., 2019; Konate et al., 2021), but in prolong use may modulate the activity of mitochondrial succinate dehydrogenase (Adisa et al., 2019). However, a full study of its safety profile is required, noting that therapeutic medicines, even of natural origin, may contain undesirable effects and toxicity hazards. While *A. senegalensis* contains substantial therapeutic potential and has been traditionally utilised for its medicinal characteristics, it is vital to understand the potential detrimental effects and toxicity connected with its ingestion. Caution should be used, and users should stick to approved dosages and customary methods. Further study is needed to create acceptable parameters for the use of *A. senegalensis* in healthcare and traditional medicine.

Clinical trials on *Annona senegalensis*: current status and future prospects

Clinical trials represent the peak of scientific validation in the path from ancient herbal treatment to modern evidence-based healthcare. *Annona senegalensis* has long played a major role in traditional medical systems across Africa. While traditional knowledge has praised its medicinal benefits, scientific studies offer a methodical technique to determine the safety and efficacy of this botanical gem in many medical applications. This study covers the present landscape of clinical studies utilising *A. senegalensis*, offering light on the progress accomplished and the prospects that lay ahead. The small number of therapeutic trials on *A. senegalensis* emphasises the unrealized potential of this botanical resource. As the scientific world increasingly realises its importance, there are various options for further research. Clinical trials can be performed to confirm the traditional usage of the plant, particularly in situations where it has been applied as a treatment for specific diseases. Further clinical study can dive into the pharmacological activities revealed in preclinical investigations, including antibacterial, anticancer, antioxidant, and anti-inflammatory effects. Developing standardized formulations of *A. senegalensis* extracts and assessing their clinical effectiveness might open the road for pharmaceutical development. Comprehensive safety and toxicity evaluations are necessary to ensure the plant's safety profile, permitting its incorporation into contemporary healthcare. Exploring the synergistic potential of *A. senegalensis* with conventional medicines might give insights into complementary therapy options. The rising interest in this plant gives a rare opportunity to combine ancient knowledge with contemporary healthcare, giving great potential for innovative therapeutic agents and evidence-based therapy.

Recommendations

Given the potential pharmacological properties of *A. senegalensis* revealed in preclinical investigations, additional clinical study is advised. Well-designed clinical studies should be done to systematically test its safety and effectiveness in diverse therapeutic applications. Collaboration between traditional healers, academics, and healthcare professionals is vital in this area. To guarantee the safe use of *A. senegalensis*, rigorous safety evaluations and toxicological studies are necessary. These studies should evaluate the possible side effects and toxicity concerns associated with different formulations and doses. The development of standardized formulations and quality control procedures for *A. senegalensis* products is vital. This will assist assure consistency in therapy results and limit fluctuations in bioactive chemical concentrations. There is need to promote education and awareness among communities who utilise *A. senegalensis*. This involves spreading information regarding safe and responsible usage, possible hazards, and the significance of consulting healthcare experts when utilising herbal treatments. Encouraging the integration of traditional medicine, particularly *A. senegalensis*, into modern healthcare systems can promote healthcare access and give more treatment alternatives. Collaboration between traditional healers and medical practitioners should be supported.

Conclusion

Annona senegalensis symbolises a botanical treasure trove of traditional wisdom and medicinal potential. Its ethnomedical applications, rich phytochemical makeup, and pharmacological properties have been appreciated across centuries. While the plant offers promise in addressing different health conditions, it may not be without possible unwanted effects and toxicity hazards. The small number of clinical trials on *A. senegalensis* underlines the need for future study to confirm its traditional applications, check safety, and investigate its medicinal potential in a systematic manner. Collaborative efforts between traditional healers, academics, and healthcare professionals are necessary to bridge the gap between traditional knowledge and current evidence-based treatment. It is vital that consumers exercise caution, stick to specified dosages, and consult healthcare specialists while utilising *A. senegalensis*-based medicines. Standardization, quality control, and safety evaluations should be important to its application in both traditional and modern medicine. As we begin on this path of discovery, the integration of *Annona senegalensis* into contemporary healthcare provides the prospect of not only maintaining cultural legacy but also contributing to global health efforts. With careful investigation and cautious usage, *A. senegalensis* may become a helpful addition to the diversity of therapeutic choices accessible in our quest for greater health and well-being.

Author contributions

PAA: developed this article.

Funding

No funding

Conflict of interest

The author declares no conflict of interest. The manuscript has not been submitted for publication in other journal.

Ethics approval

Not applicable

References

- Adayat, S. I., Samira, A., & Musliu, A. (2014). Extraction and phytochemical screening of the root and leaves of *Annona senegalensis* (Wild custard apple). *Academic Journal of Interdisciplinary Studies*, 3 (7), 9-15.
- Adesogan, E. F. & Durodola, J. I (1976). Antitumor and antibiotic principles of *Annona senegalensis*. *Phytochemistry*, 15, 1311-1312.
- Adisa, R. A., Kolawole, N., Suleiman, I. A., et al. (2019). Alteration of antioxidant status and mitochondrial succinate dehydrogenase activity in the liver of Wistar strain albino rats treated with ethanol extracts of *Annona senegalensis* Pers (Annonaceae) stem bark. *Toxicology Research*, 35, 13-24.
- Adjakpa, J. B., Ahoton, L. E., Obosson, F. H., et al. (2016). Ethnobotanical study of Senegal custard apple (*Annona senegalensis*) in Dasa-Zoume township, Republic of Benin. *International Journal of Biological and Chemical Sciences*. 10 (5), 2123-2137.
- Adzu, B., Amos S., Adamu, M., & Gamaniel, K. (2003). Anti-nociceptive and anti-inflammatory effects of the methanol extract of *Annona senegalensis* root bark. *Journal of Natural Remedies*, 3, 63-67.
- Afolabi, F., & Afolabi, O. (2013). Phytochemical Constituents of Some Medicinal Plants in South West, Nigeria. *IOSR Journal of Applied Chemistry*, 4(1),76-78.
- Ahmed, A, Bassem, S.M., Mohamed. Y, et al. (2010). Cytotoxic essential oil from *Annona senegalensis* Pers leaves. *Pharmacognosy Research*, 2, 211-214.
- Ahombo, G., Ampa. R., Diatwa, M., et al. (2012). Investigating on related diabetes therapeutic plants used in traditional medicine at Brazzaville. *Journal of Medicinal Plant Research*. 6(44), 5630-5639.
- Aiyeloja, A. A, & Bello, O. A. (2006). Ethnobotanical potentials of common herbs in Nigeria: A case study of Enugu State, *Educational Research and Reviews*, 1(1),16-22.
- Ajaiyeoba, E., Abiodun, O., Falade, M., et al. (2006a). In vitro cytotoxicity studies of 20 plants used in Nigerian antimalarial ethnomedicine. *Phytomedicine*, 13, 295-298.
- Ajaiyeoba, E., Falade, M., Ogbale, O., et al. (2006b). In vivo antimalarial and cytotoxic properties of *Annona senegalensis* extract. *African Journal of Traditional, Complementary and Alternative Medicine*, 3(1), 137-141.
- Ajboye, T., Yakubu, M., Salau, A., et al. (2010). Antioxidant and drug detoxification potential of aqueous extract of *Annona senegalensis* leaves in carbon tetrachloride-induced hepatocellular damage. *Pharmaceutical Biology*, 48(12), 136-170.
- Alawa, C., Adamu, A., Gefu, J., et al. (2003). In vitro screening of two Nigerian medicinal plants (*Vernonia amygdalina* and *Annona senegalensis*) for anthelmintic activity. *Veterinary Parasitology*, 113(1). 73-81.
- Ameen, A., Usman, L., Oganija, F., et al. (2011). Chemical composition of leaf essential oil *Annona senegalensis* Pers (Annonaceae) growing in North Central Nigeria. *International Journal of Biological and Chemical Sciences*, 5 (1), 375-379.

- Amlabu, E., Ajagun, E., & Wandayi, A., et al. (2014). Detoxification of *Echis ocellatus* venom induced toxicity by *Annona senegalensis* Pers. *Journal of Complementary and Integrative Medicine*, 11(2), 93-97.
- Arnold, K. J., & Gulumain, M. Pharmacopea of traditional medicine in Venda. *Journal of Ethnopharmacology*, 12, 35-74.
- Atawodi, S., Bulus, T., Ibrahim, S., et al. (2003). In vitro trypanocidal effect of methanolic extract of some Nigerian Savannah plants. *African Journal of Biotechnology*, 2(9), 317-321.
- Atawodi, S. (2005). Comparative in vitro trypanocidal activities of petroleum ether, chloroform, methanol and aqueous extracts of some Nigerian Savannah plants. *African. Journal of Biotechnology*, 4(2), 177-182.
- Attig, A., Jalil, J., & Husain, R. (2017). Annonaceae: Breaking the wall of inflammation. *Frontiers in Pharmacology*, 8, 752.
- Awa, E., Ibrahim, S., & Ameh, D. (2012). In-vitro evaluation of antibacterial activity of crude extract from the stem bark of *Annona senegalensis* Pers. *International Journal of Pharmaceutical Sciences and Research*, 3(4), 1128-1132.
- Bamba, P. O., Abalansard, G., Maillard, G. et al, (1984). Characterization of amino acids in the stem bark of *Annona senegalensis* Pers. *Plante Medicinales Phytotherapie*, 18, 36-45.
- Bassam, S. M., Kazman, A. I., Harnett, T. E., et al. (2022). Traditional uses, phytochemistry and pharmacological activities of Annonaceae. *Molecules*, 27, 3462.
- Chhabra, S. C., Mahunnah, R. L. A., Mshiu, E. N. (1987). Plants used in traditional medicine in Eastern Tanzania, 1. Pteridophytes, and Angiosperms (Aquanthageae to Canelliaceae). *Journal of Ethnopharmacology*, 21, 253-277.
- Dalziel, J. M. (1937). The useful plants of West Tropical Africa. Crown Overseas Agents for the Colonies, London, 2-3
- Dandjesso, C., Klotoé, J., Dougnon, T., et al. (2012). Phytochemistry and hemostatic properties of some medicinal plants sold as anti-hemorrhagic in Cotonou markets (Benin). *Indian Journal of Science and Technology*, 5(8), 3105-3109.
- Djoza, R. D., Ashande, C. M., & Mpiana, P. T. ((2017). A mini-review on the pharmacognosy and phytochemistry of a tropical medicinal plant *Annona senegalensis* Pers (Annonaceae). *Tropical Plant Research*, 4, 168-175.
- Dholvitayakun, A., Trachoo, N., & Sakee, U. (2013). Potential application of *Annona senegalensis* leaf extract in the treatment and prevention of foodborne bacterial disease. *Natural Product Communication*, 8 (3), 385-388.
- Dongmo, N. M., Fokunang, C., Fekam, B. F., et al. (2014). Anticonvulsant activity of extracts from six Cameroonian plants traditionally used to treat epilepsy. *International Journal of Biological and Chemical Sciences*, 8(6), 2407-2415.
- Faleyimu, O., Ahmad, I., & Akinyemi, O. (2010). Herbal approach to the treatment of Chicken pox: A case study of Giwa Local Government, Kaduna State. Nigeria. *International. Journal of Biomedical and Health Sciences*, 6(1), 13-18.
- Faleyimu, O., & Akinyemi, O. (2010). Herbal approaches to the problem of erectile dysfunction in Kaduna State, Nigeria. *Egyptian Journal of Biology*, 12, 103-107.
- Fall, D., Sambou, B., Seck, M., et al (2008). Enhancing the anthelmintic activity roots of *Annona senegalensis*. *Dakar Medica*, 53(1), 61-67.
- Gueye, S., Diop, M. T., Seck, D., et al. (2011). Biochemical fractions activity of *Annona senegalensis* Pers. extract leaves to protect groundnut against the seed-beetle *Caryedon serratus* OL. (Coleoptera, Chrysomelidea, Bruchinae). *International Journal of Plant, Animal and Environmental Sciences*, 1(2), 122-130
- Igoli, J., Ogaji, O., Tor-Anyin, T., et al. (2005). Traditional medicine practice amongst the Igede People of Nigeria. Part II. African. *Journal of Traditional, Complementary and Alternative Medicine*, 2(2), 134-152.

- Ijaiya, I., Arzika, S., & Abdulkadir, M. (2014). Extraction and phytochemical screening of the root and leaves of *Annona senegalensis* (Wild Custard Apple). *Academic. Journal of Interdisciplinary Studies*, 3(7), 9-15.
- Igweh, A., & Onabanjo, A. (1989) Chemotherapeutic effects of *Annona senegalensis* in *Trypanosoma brucei brucei*. *Annals of Tropical Medicine and Parasitology*, 83(5), 527-534.
- Ilboudo, S., Ouedraogo, G. G., Ouedraogo, S., et al. (2019). Phytochemical, acute and subacute toxicity studies of *Annona senegalensis* Pers (Annonaceae) root wood extracts. *African Journal of Biochemistry Research*, 13, 44-55.
- Jada, M. S., Usman, W. A., & Adamu, Y. (2014). In vitro antimicrobial effect of crude tannins isolated from the leaf of *Annona senegalensis*. *International Journal of Biochemical Research and Review*, 4(6), 615-623.
- Jada, M. S., Usman, W. A., & Olabisi, A. O. (2015). Crude flavonoids Isolated from the stem bark of *Annona senegalensis* have antimicrobial activity. *Journal of Advances in Biology and Biotechnology*, 2(1),24-29.
- Kabiru, A. Y., Salako, A. A., & Ogbadoyi, E. O. (2010). Therapeutic effects of *Annona senegalensis* Pers stem bark extracts in experimental African Trypanosomiasis. *International Journal of Health Research*, 3(1), 45-49.
- Khallouki, F., Younos, C., Soulimani, R, et al. (2002). Chemical composition of the essential oils of *Annona cuneata* L. and *Annona senegalensis* Pers. stem barks. *Flavour Fragrance Journal*, 17(5), 398-400.
- Kitadi, J.M., Inkoto, C. L., & Lengbiye, E. M. (2020). Mineral content and antisickling activity of *Annona senegalensis*, *Alchornea cordifolia*, and *Vigna unguiculata* used in the management of sickle cell disease in the Kwilu Province (Congo DR). *International Blood Research and Review*, 11 (3), 18-27.
- Klaus, V., & Adala, H. S. (1994). Traditional herbal eye medicine in Kenya. *World Health Forum*, 15, 138-143.
- Koggie, A, Z., Ihuma, J. O., Nyikwagh, P. H. (2022). Antibacterial activities of *Annona senegalensis* Pers (Annonaceae) extracts on *Escherichia coli*, *Proteus mirabilis* and *Klebsiella pneumonia*. *Asian Journal of Biology*, 14(2), 35-41.
- Konate A, Sawadogo W, Dubruc F, et al. (2012). Phytochemical and anticonvulsant properties of *Annona senegalensis* Pers. (Annonaceae), Plant used in Burkina folk medicine to treat epilepsy and convulsions. *British Journal of Pharmacology and Toxicology*, 3(5), 245-250.
- Konaté, K., Sanou, A., Aworet-Samseny, R. R., Benkhalti, F., Sytar, O., Brestic, M., ... & Dicko, M. H. (2021). Safety profile, in vitro anti-inflammatory activity, and in vivo antiulcerogenic potential of root barks from *Annona senegalensis* Pers.(Annonaceae). *Evidence-based Complementary and Alternative Medicine*, 2021. doi: 10.1155/2021/4441375.
- Lall, N., Kishore, N., Bodiba, D, et al., et al. (2017). Alkaloids from aerial parts of *Annona senegalensis* against *Streptococcus mutans*. *Plant Product Research*, 37, 1944-1947.
- Lame, Y., Nukenine, E., Pierre, D., et al. (2014). Larvicidal activity of *Annona senegalensis* and *Boswellia dalzielii* leaf fractions against *Aedes aegypti* (Diptera: Culicidae). *International Journal of Mosquito Research*, 1(4), 25-29.
- Lawal, A., Ajiboye, J., & Berinyuy, E.B. (2021). Chemical composition, toxicology, ethno-medicinal and pharmacological reports of *Annona senegalensis*: A review. *Journal of Drug Discovery, Development and Delivery*, 7 (1), 1038.
- Li, H. T., Wu, H. M., Chen, H. L., et al. (2013). The pharmacological activities of (-) anonine. *Molecules*, 18 (7), 8257.
- Mackie, A., & Misra, A. L., (1956). Chemical investigation of the leaves of *Annona senegalensis* 1: Constituents of the leaf wax. *Journal of Science, Food and Agriculture*, 7, 203
- Mackie, A., & Ghatee, N. (1958). Leaves of *Annona senegalensis* II. Carbohydrates, glycoside, proteins, amino acids, sterols. *Journal of Science, Food and Agriculture*, 9, 88.
- Magadula, J., Innocent, E., Mbwambo, Z. et al. (2014). Phytochemical and pharmacological studies of some medicinal plants from Tanzania. *International Journal of Current Research and Academic Review*; 2(10), 99-111.

- Magadula, J., Innocent, E., & Otieno, J. (2009). Mosquito larvicidal and cytotoxic activities of 3 *Annona* species and isolation of active principles. *Journal of Medicinal Plant Research*, 3(9), 674-680.
- Magassouba, F., Diallo, A., Kouyat'e, M. et al. (2007). Ethnobotanical survey and antibacterial activity of some plants used in Guinean Traditional Medicine. *Journal of Ethnopharmacology*, 114(1), 44-53.
- Mann, A., Ibrahim, K., Oyewale, A. et al. (2009). Antimycobacterial activity of some medicinal plants in Niger State, Nigeria. *African Journal of Infectious Disease*, 3(2), 44-48.
- Mbayo, Y., Bobbo, A., Barkindo, A., et al. (2023). Effects of ethanolic leaf extract of *Annona senegalensis* on semen of albino rats. *British Journal of Multidisciplinary and Advanced Studies*, 4 (4), 1-14.
- Moghadamtousi, S., Fadaeinasab, M., Nikzad, S. et al. (2015). *Annona muricata* (Annonaceae): A review of its traditional uses, isolated acetogenins and biological activities. *International Journal of Molecular Sciences*, 16, 15625-15658.
- More, G., Tshikalange, T., Lall, N., et al. (2008). Antimicrobial activity of medicinal plants against oral microorganisms. *Journal of Ethnopharmacology*, 119(3), 473- 477.
- Mpiana, P. (2012). Antisickling properties, thermal and photochemical degradations of anthocyanin extracts from *Annona senegalensis* (Annonaceae) International . *Journal of Biological and Chemical Sciences*, 6(5), 2241-2251.
- Mukungulu, G., Tshilanda, D., Tshibangu, D., et al. (2015). Larvicidal activity of some Congolese plant extracts against *Anopheles gambiae*. *Journal of Advancement in Medical and Life Sciences*, 3(2), 1-4.
- Musa, D. D., Anakaa, T. M., & Bashir, K. A. (2017). Phytochemical analysis of crude extracts from *Annona senegalensis* and its anti-snake venom potentials on Albino rats. *Fudma Journal of Sciences*, 1 (1), 139-142.
- Mustapha, A., Owuna, G., & Uthman, I. (2013). Plant remedies practiced by Keffi People in the management of dermatosis. *Journal of Medicinal Plant Studies*, 1(5), 112-118.
- Mustapha, A. A., (2013). *Annona senegalensis* Persoon: A multipurpose shrub, its phytotherapeutic, phytopharmacological and phytomedicinal Uses. *International Journal of Science and Technology*, 2(12), 862-865.
- Mustapha, A. A. (2014). Ethnobotanical field survey of medicinal plants used by traditional medicine practitioners to manage HIV/AIDS opportunistic infections and their prophylaxis in Keffi Metropolis, Nigeria. *Asian Journal of Plant Science and Research*, 4(1), 7-14.
- Ngamo, T., Ngatanko, I., Ngassoum, M. et al. (2007). Persistence of insecticidal activities of crude essential oils of three aromatic plants towards four major stored product insect pests. *African Journal of Agricultural Research*, 2(4), 173-177.
- Ngbolua, K., Mudogo, V., Mpiana, P., et al. (2014). In vitro and in vivo anti-malarial and cytotoxic activities of ethanolic extracts of *Annona senegalensis* Pers (Annonaceae) from Democratic Republic of the Congo. *Journal of Modern Drug Discovery and Drug Delivery Research*, 2, 1-5.
- Nukenine, E., Monglo, D., Musongong, G. et al (2006). Evaluation of anthelmintic potential of ethanolic plant extracts from Northern Cameroon against eggs and infective larvae of *Haemonchus concortus*. *Journal of Biological Sciences*, 6(2), 426-433.
- Nwonuma, C., Irokanulo, E., Jolaiya, A. et al, (2015). Effect of aqueous leaf extract of *Annona senegalensis* on selected testicular function indices of Wistar rats. *American Journal of Life Sciences*, 3(3), 203-212.
- Odoh, U, Ezugwu C & Ajali U. (2004). Preliminary investigation of the analgesic activity of the chloroform root extract of *Annona senegalensis*. *Journal of Pharmaceutical and Allied Sciences*, 2, 169-172.
- Ofukwu, R., Ayoola, A., & Akwuobu, C. (2008). Medicinal plants used in the management of tuberculosis in humans and animals by Idoma tribe of North Central Nigeria, Nigerian. *Veterinary Journal*, 29(2), 25-30.

- Ogbadoyi, E., Abdulganiy, A., Adama, T. et al (2007). In vivo trypanocidal activity of *Annona senegalensis* Pers. leaf extract against *Trypanosoma brucei*. *Journal of Ethnopharmacology*, 112(1), 85-89.
- Ogoli, J., Tsenongo, S., Tor-Anyin, T. (2011). A Survey of antivenomous, toxic and other plants used in some parts of Tivland, Nigeria. *International of Journal Medicinal and Aromatic Plant*, 1(3), 240- 244.
- Okhale, S. E., Akpan, E., Fatokun, O. T., et al. (2016). *Annona senegalensis* Persson (Annonaceae): A review of its ethnopharmacological uses. biological and phytochemicals. *Journal of Pharmacognosy and Phytochemistry*, 5 (2), 211-219.
- Omeke, C. P., Udodeme, H. O., Nwafor, H. I., et al. (2019). Antioxidant and hepatoprotective properties from the extract and fractions of *Annona senegalensis* Pers (Annonaceae) stem bark grown in Nigeria. *European Journal of Medicinal Plants*, 28 (4), 1-13.
- Okoli, C., Onyeto, C., Akpa, B. et al. (2010). Neuropharmacological evaluation of *Annona senegalensis* leaves. *African Journal of Biotechnology*, 9(49), 8435- 8444.
- Okoye, T., Akah, P., Okoli, C. et al. (2012). Antimicrobial effects of a lipophilic fraction and kaurenoic acid isolated from the root bark extracts of *Annona senegalensis*. *Evidence-Based Complementary and Alternative Medicine*, Article ID, 2012, 831327
- Okoye, T., Akah, P., Omeje, E., et al. (2013). Anticonvulsant effect of kaurenoic acid isolated from the root bark of *Annona senegalensis*. *Pharmacology, Biochemistry and Behaviour*, 109, 38-43.
- Oladele, G., Faramade, I., & Ogunbodede, M. (2014). Effect of aqueous extract of *Annona senegalensis* leaves on the spermogram of male albino rats. *World Journal of Pharmacy Pharmaceutical Sciences*, 3(8),409-418.
- Orwa, C., Mutua, A., Kindt, R., et al. (2009). Agroforestry Database: A Tree Reference and Selection Guide Version 4.0,
- Otimenyin, S., Omeri, F. (2014). Hypnotic effect of methanolic extracts of *Annona senegalensis* bark and *Ficus thonningii* leaves in mice and chicks. *International Journal of Pharmacy and Pharmaceutical Research*, 1(1), 1-12.
- Philipov, S., Kande, K. M., & Mahev, K. (1995). Alkaloids of *Annona senegalensis*. *Fitoterapia*, 66, 275-276.
- Price. K., Johnson, R., & Frederick, H. (1987). The chemical and biological significant of saponins in food and feeding stuffs. *Critical Ravager in Food Science and Nutrition*, 28, 135.
- Potchoo, Y., Guissou, I., Lompo, M., (2008). Antioxidant activity of aqueous methanol and ethyl acetate extract of leaves of *Annona senegalensis* Pers. from Togo versus the one originates from Burkina Faso. *International Journal of Pharmacology*, 1(1), 1-5.
- Sahpaz, S., Carmen G. M., Hocquemiller, R. et al. (1996). Annosenegalin and annogalene: two cytotoxic monotetrahydrofuran acetogenins from *Annona senegalensis* and *Annona cherimolia*. *Phytochemistry*, 42(1), 103-107.
- Sahpaz, S., Bories,, C., Loiseau, P., et al. (1994). Cytotoxic and antiparasitic activity from *Annona senegalensis* seeds. *Planta Medica*, 60, 538-540.
- Setzer, W., Ogungbe, I. (2012). In-silico investigation of antitrypanosomal phytochemicals from Nigerian medicinal plants. *PLoS Neglected Tropical Diseases*, 6(7), e1727.
- Suleiman, M. M., Dzenda, T., & Sani, C. A. (2008). Antidiarrhoeal activity of the methanol stem bark extract of *Annona senegalensis* Pers (Annonaceae). *Journal of Ethnopharmacology*, 116(1), 125-130.
- Suleiman, M., Mamman, M., Igomu, E., et al. (2014). Evaluation of analgesic and anti-inflammatory effects of the crude methanol extract of the stem-bark of *Annona senegalensis* Pers. *International Journal of Medicinal and Aromatic Plants*, 4(2), 88-96.

- Tamfu, A. N., Fotsing, M. T., & Talla, E. (2021). Bioactive constituents from seeds of *Annona senegalensis* Persoon (Annonaceae). *Natural Product Research*, 35 (10), doi: 10.1080/14786419.1634713.
- Traore, M. S., Baldé, M. A., Diallo, M. S., et al. (2013). Ethnobotanical survey on medicinal plants used by Guinean traditional healers in the treatment of malaria. *Journal Ethnopharmacology*, 150(3), 1145-1153
- Yeo, D., Dinica, R., Yapi, H., et al. (2011). Evaluation of the anti-inflammatory activity and phytochemical screening of *Annona senegalensis* leaves. *Thérapie*, 66(1), 73-80.
- Yisa, J., Egila, J., & Darlinton, A. (2010). Chemical composition of *Annona senegalensis* from Nupe land, Nigeria. African. *Journal of Biotechnology*, 9(26), 4106-4109.
- You, M., Wickramaratne, D., Silva, G. et al. (1995). (-)-Roemerine, an aporphine alkaloid from *Annona senegalensis* that reverses the multidrug-resistance phenotype with cultured cells. *Journal of Natural Product*, 58(4), 598-604.
- Youan, B., Coulibaly, S., Miezán, T., et al (1997). In vivo evaluation of sixteen plant extracts on mice inoculated with *Trypanosoma brucei gambiense*. *Bulletin of World Health Organization*, 75(4), 343-348.